

Author Index

- Abe, H., Watanabe, M., Goto, K., Sakagami, H. and Kondo, H., Localization of gene expression of calreticulin in the brain of adult mouse, 337
- Abe, T., see Morita, T., 143
- Adler, E.M., see Fink, J.S., 186
- Adrien, J., see Miquel, M.C., 357
- Amano, T., Yamakuni, T., Okabe, N., Kuwahara, R., Ozawa, F. and Hishinuma, F., Regulation of nerve growth factor and nerve growth factor receptor production by NMDA in C6 glioma cells, 35
- Amoroso, D., see Giorgi, S., 277
- Araki, K., see Morita, T., 143
- Augood, S.J., see Herbison, A.E., 310
- Baden, D.G., see Edwards, R.A., 64
- Baskys, A., see Billia, F., 101
- Bassetti, M.A., see Zucconi, G.G., 1
- Beck, J., see Bialy, M., 352
- Bialy, M., Nikolaev, E., Beck, J. and Kaczmarek, L., Delayed *c-fos* expression in sensory cortex following sexual learning in male rats, 352
- Billia, F., Baskys, A., Carlen, P.L. and De Boni, U., Rearrangement of centromeric satellite DNA in hippocampal neurons exhibiting long-term potentiation, 101
- Bock, S., see Lin, L.-H., 147
- Boissin, J., see Boissin-Agasse, L., 57
- Boissin-Agasse, L., De Bouard, V., Roch, G. and Boissin, J., In situ hybridization of GnRH mRNA in the rat and the mink hypothalamus using biotinylated synthetic oligonucleotide probes, 57
- Bono, C., see Eva, C., 344
- Borrelli, E., see Micheletti, G., 363
- Bowman, C.L., see Edelman, A.M., 27
- Branch, A.D., Unterwald, E.M., Lee, S.E. and Kreek, M.J., Quantitation of preproenkephalin mRNA levels in brain regions from male Fischer rats following chronic cocaine treatment using a recently developed solution hybridization assay, 231
- Bravo, R., see Herdegen, T., 155
- Brené, S., Lindefors, N. and Persson, H., Midbrain dopamine neurons regulate preprotachykinin-A mRNA expression in the rat forebrain during development, 13
- Buck, K.J., see Zahniser, N.R., 196
- Bunel, D.T., see Valentijn, K., 221
- Byrnes, A.P., see McClintock, T.S., 273
- Carlen, P.L., see Billia, F., 101
- Carlsson, B., see Eriksson, P.S., 317
- Carpenter, K., see Lin, L.-H., 147
- Carsana, A., see Zucconi, G.G., 1
- Chen, K., Yang, W., Grimsby, J. and Shih, J.C., The human 5-HT₂ receptor is encoded by a multiple intron-exon gene, 20
- Cho-Lee, J., see Edelman, A.M., 27
- Chrisman, C.L., see Waldbieser, G.C., 87
- Consolo, S., see Giorgi, S., 277
- Cortner, J., see Mack, K.J., 117
- Cosi, C., see Zucconi, G.G., 1
- Cunningham, A., see Dowsing, B.J., 250
- Curella, P., see Zahniser, N.R., 196
- Dahl, S.G., see Edvardsen, , 166
- De Boni, U., see Billia, F., 101
- De Bouard, V., see Boissin-Agasse, L., 57
- Dicou, E., Nerve growth factor precursors in the rat thyroid and hippocampus, 136
- Dixon, J.E., see Waldbieser, G.C., 87
- Doucet, E., see Miquel, M.C., 357
- Dowsing, B.J., Gooley, A.A., Gunning, P., Cunningham, A. and Jeffrey, P.L., Molecular cloning and primary structure of the avian Thy-1 glycoprotein, 250
- Dragunow, M., Sirimanne, E., Lawlor, P.A., Williams, C. and Gluckman, P., Accumulation of calcitonin-gene related peptide-like immunoreactivity after hypoxic-ischaemic brain injury in the infant rat, 267
- Dyer, D., Tigyi, G. and Miledi, R., The effect of active serum albumin on PC12 cells: I. Neurite retraction and activation of the phosphoinositide second messenger system, 293
- Dyer, D., Tigyi, G. and Miledi, R., The effect of active serum albumin on PC12 cells: II. Intracellular Ca²⁺ transients and their role in neurite retraction, 302
- Edelman, A.M., Higgins, D.M., Bowman, C.L., Haber, S.N., Rabin, R.A. and Cho-Lee, J., Myosin light chain kinase is expressed in neurons and glia: immunoblotting and immunocytochemical studies, 27
- Edvardsen, , Sylte, I. and Dahl, S.G., Molecular dynamics of serotonin and ritanserin interacting with the 5-HT₂ receptor, 166
- Edwards, E., see Lachman, H.M., 94
- Edwards, R.A., Trainer, V.L. and Baden, D.G., Brevetoxins bind to multiple classes of sites in rat brain synaptosomes, 64
- Eriksson, P.S., Carlsson, B., Isaksson, O.G.P., Hansson, E. and Rönnbäck, L., Altered amounts of G-protein mRNA and cAMP accumulation after long-term opioid receptor stimulation of neurons in primary culture from the rat cerebral cortex, 317
- Eva, C., Fusco, M., Bono, C., Tria, M.A., Gamalero, S.R., Leon, A. and Genazzani, E., Nerve growth factor modulates the expression of muscarinic cholinergic receptor messenger RNA in telencephalic neuronal cultures from newborn rat brain, 344
- Farnham, P.J., see Mack, K.J., 117
- Fiallos-Estrada, C.E., see Herdegen, T., 155
- Fink, J.S., Weaver, D.R., Rivkees, S.A., Peterfreund, R.A., Pollack, A.E., Adler, E.M. and Reppert, S.M., Molecular cloning of the rat A₂ adenosine receptor: selective co-expression with D₂ dopamine receptors in rat striatum, 186
- Forloni, G., see Giorgi, S., 277
- Fossom, L.H., see Goldstein, M.E., 79
- Furia, A., see Zucconi, G.G., 1
- Fusco, M., see Eva, C., 344
- Gall, C.M., see Yount, G.L., 139
- Gallager, D.W., see Primus, R.J., 179
- Gamalero, S.R., see Eva, C., 344
- Genazzani, E., see Eva, C., 344
- Geraerts, W.P.M., see Smit, A.B., 7
- Giorgi, S., Forloni, G., Amoroso, D. and Consolo, S., Expression of GAL mRNA in rat hypothalamus: effect of frontal deafferentation and colchicine treatment, 277
- Gluckman, P., see Dragunow, M., 267
- Goldstein, M.E., Tank, A.W., Fossom, L.H. and Hamill, R.W., Molecular aspects of the regulation of tyrosine hydroxylase by testosterone, 79
- Gooley, A.A., see Dowsing, B.J., 250
- Goto, K., see Abe, H., 337
- Grimsby, J., see Chen, K., 20
- Gundlach, A.L., see Rutherford, S.D., 261
- Gunning, P., see Dowsing, B.J., 250
- Haber, S.N., see Edelman, A.M., 27
- Haby, C., see Micheletti, G., 363
- Hagihara, K., Hirata, S., Osada, T., Hirai, M. and Kato, J., Distribution of cells containing progesterone receptor mRNA in the female rat di- and telencephalon: an in situ hybridization study, 239
- Hale, C., see Tümer, N., 51
- Hamill, R.W., see Goldstein, M.E., 79
- Hamon, M., see Miquel, M.C., 357
- Hansson, E., see Eriksson, P.S., 317
- Harris, R.A., see Zahniser, N.R., 196
- Hartnick, C., see Lachman, H.M., 94
- Heidenreich, K.A., see Zahniser, N.R., 196
- Henn, F.A., see Lachman, H.M., 94
- Herbison, A.E., Augood, S.J. and McGowan, E.M., Expression of glutamic acid decarboxylase messenger RNA in rat medial preoptic area neurons during the oestrous cycle and after ovariectomy, 310
- Herdegen, T., Fiallos-Estrada, C.E., Schmid, W., Bravo, R. and Zimmermann, M., The transcription factors c-JUN, JUN D and CREB, but not FOS and KROX-24, are differentially regulated in axotomized neurons following transection of rat sciatic nerve, 155
- Higgins, D.M., see Edelman, A.M., 27
- Hirai, M., see Hagihara, K., 239
- Hirata, S., see Hagihara, K., 239
- Hishinuma, F., see Amano, T., 35

- Howells, R.D., see Yin, J., 213
 Hunt, S.P., see Rusak, B., 124
 Iizuka, M., see Satoh, T., 131
 Isaksson, O.G.P., see Eriksson, P.S., 317
 Jacobs, A.A., see Primus, R.J., 179
 Jeffrey, P.L., see Dowsing, B.J., 250
 Joosse, J., see Smit, A.B., 7
 Kaczmarek, L., see Bialy, M., 352
 Kato, J., see Hagihara, K., 239
 Keir, W.J., see Zahniser, N.R., 196
 Kempf, E., see Micheletti, G., 363
 Klein, R.L., see Zahniser, N.R., 196
 Kondo, H., see Abe, H., 337
 Kreek, M.J., see Branch, A.D., 231
 Kushiya, E., see Morita, T., 143
 Kuwahara, R., see Amano, T., 35
 Lachman, H.M., Papolos, D.F., Weiner, E.D., Ramazankhana, R., Hartnick, C., Edwards, E. and Henn, F.A., Hippocampal neuropeptide Y mRNA is reduced in a strain of learned helpless resistant rats, 94
 Landreth, G., see Schanen, N.C., 43
 Lannes, B., see Micheletti, G., 363
 Lawler, J., see Tümer, N., 51
 Lawlor, P.A., see Dragunow, M., 267
 Lee, J.A., see Yin, J., 213
 Lee, S.E., see Branch, A.D., 231
 Leon, A., see Eva, C., 344
 Lerner, M.R., see McClintock, T.S., 273
 Lin, L.-H., Bock, S., Carpenter, K., Rose, M. and Norden, J.J., synthesis and transport of GAP-43 in entorhinal cortex neurons and perforant pathway during lesion-induced sprouting and reactive synaptogenesis, 147
 Lindefors, N., see Brené, S., 13
 Louis, W.J., see Rutherford, S.D., 261
 Luiten, P.G.M., see Van der Zee, E.A., 326
 Mack, K.J., Cortner, J., Mack, P. and Farnham, P.J., *krox* 20 messenger RNA and protein expression in the adult central nervous system, 117
 Mack, P., see Mack, K.J., 117
 McClintock, T.S., Byrnes, A.P. and Lerner, M.R., Molecular cloning of a G-protein α_i subunit from the lobster olfactory organ, 273
 McGeer, P.L., see Walker, D.G., 109
 McGowan, E.M., see Herbison, A.E., 310
 McQuilkin, S.J., see Zahniser, N.R., 196
 McNaughton, L., see Rusak, B., 124
 Meester, I., see Smit, A.B., 7
 Meguro, H., see Morita, T., 143
 Mhatre, M.C. and Ticku, M.K., Aging related alterations in GABA_A receptor subunit mRNA levels in Fischer rats, 71
 Micheletti, G., Lannes, B., Haby, C., Borrelli, E., Kempf, E., Warter, J.-M. and Zwiller, J., Chronic administration of NMDA antagonists induces D₂ receptor synthesis in rat striatum, 363
 Miledi, R., see Dyer, D., 293
 Miledi, R., see Dyer, D., 302
 Miller, C.L., see Zahniser, N.R., 196
 Minth, C.D., see Waldbieser, G.C., 87
 Miquel, M.C., Doucet, E., Riad, M., Adrien, J., Vergé, D. and Hamon, M., Effect of the selective lesion of serotonergic neurons on the regional distribution of 5-HT_{1A} receptor mRNA in the rat brain, 357
 Mishina, M., see Morita, T., 143
 Monden, T., see Satoh, T., 131
 Mori, M., see Satoh, T., 131
 Mori, K.J., see Morita, T., 143
 Morita, T., Sakimura, K., Kushiya, E., Yamazaki, M., Meguro, H., Araki, K., Abe, T., Mori, K.J. and Mishina, M., Cloning and functional expression of a cDNA encoding the mouse β 2 subunit of the kainate-selective glutamate receptor channel, 143
 Nikolaev, E., see Bialy, M., 352
 Norden, J.J., see Lin, L.-H., 147
 Okabe, N., see Amano, T., 35
 Osada, T., see Hagihara, K., 239
 Ozawa, F., see Amano, T., 35
 Palmieri, M., see Zucconi, G.G., 1
 Papolos, D.F., see Lachman, H.M., 94
 Persson, H., see Brené, S., 13
 Peterfreund, R.A., see Fink, J.S., 186
 Pollack, A.E., see Fink, J.S., 186
 Prasad, C., see Sakata, M., 282
 Primus, R.J., Jacobs, A.A. and Gallagher, D.W., Developmental profile of polyadenylated and non-polyadenylated GABA_A receptor subunit mRNAs, 179
 Pujol, M.J., see Vendrell, M., 285
 Rabin, R.A., see Edelman, A.M., 27
 Ramazankhana, R., see Lachman, H.M., 94
 Reppert, S.M., see Fink, J.S., 186
 Riad, M., see Miquel, M.C., 357
 Rivkees, S.A., see Fink, J.S., 186
 Robertson, H.A., see Rusak, B., 124
 Roch, G., see Boissin-Agasse, L., 57
 Rönnbäck, L., see Eriksson, P.S., 317
 Rose, M., see Lin, L.-H., 147
 Rusak, B., McNaughton, L., Robertson, H.A. and Hunt, S.P., Circadian variation in photic regulation of immediate-early gene mRNAs in rat suprachiasmatic nucleus cells, 124
 Rutherford, S.D., Widdop, R.E., Louis, W.J. and Gundlach, A.L., Preprogalanin mRNA is increased in vagal motor neurons following axotomy, 261
 Sakagami, H., see Abe, H., 337
 Sakata, M. and Prasad, C., Transient decrease in rat striatal D₂ dopamine receptor mRNA level after acute haloperidol treatment, 282
 Sakimura, K., see Morita, T., 143
 Satoh, T., Yamada, M., Monden, T., Iizuka, M. and Mori, M., Cloning of the mouse hypothalamic preprothyrotropin-releasing hormone (TRH) cDNA and tissue distribution of its mRNA, 131
 Scarth, B.A., see Shaw, C., 207
 Schanen, N.C. and Landreth, G., Isolation and characterization of microtubule-associated protein 2 (MAP2) kinase from rat brain, 43
 Schmid, W., see Herdegen, T., 155
 Schröder, H., see Van der Zee, E.A., 326
 Serratos, J., see Vendrell, M., 285
 Shaw, C. and Scarth, B.A., Age-dependent regulation of GABA_A receptors in neocortex, 207
 Shih, J.C., see Chen, K., 20
 Sikela, J.M., see Zahniser, N.R., 196
 Sirimanne, E., see Dragunow, M., 267
 Smit, A.B., Thijsen, S.F.T., Geraerts, W.P.M., Meester, I., Van Heerikhuizen, H. and Joosse, J., Characterization of a cDNA clone encoding molluscan insulin-related peptide V of *Lymnaea stagnalis*, 7
 Streefland, C., see Van der Zee, E.A., 326
 Strong, R., see Tümer, N., 51
 Strosberg, A.D., see Van der Zee, E.A., 326
 Sylte, I., see Edvardsen, , 166
 Tank, A.W., see Goldstein, M.E., 79
 Thijsen, S.F.T., see Smit, A.B., 7
 Ticku, M.K., see Mhatre, M.C., 71
 Tigyi, G., see Dyer, D., 293
 Tigyi, G., see Dyer, D., 302
 Trainer, V.L., see Edwards, R.A., 64
 Tria, M.A., see Eva, C., 344
 Tümer, N., Hale, C., Lawler, J. and Strong, R., Modulation of tyrosine hydroxylase gene expression in the rat adrenal gland by exercise: effects of age, 51
 Tusell, J.M., see Vendrell, M., 285
 Unterwald, E.M., see Branch, A.D., 231
 Valentijn, K., Bunel, D.T. and Vaudry, H., ω -Conotoxin- and nifedipine-insensitive voltage-operated calcium channels mediate K⁺-induced release of prothyrotropin-releasing hormone-connecting peptides Ps4 and Ps5 from perfused rat hypothalamic slices, 221
 Van der Zee, E.A., Streefland, C., Strosberg, A.D., Schröder, H. and Luiten, P.G.M., Visualization of cholinergic neurons in the rat neocortex: colocalization of muscarinic and nicotinic acetylcholine receptors, 326
 Van Heerikhuizen, H., see Smit, A.B., 7
 Vaudry, H., see Valentijn, K., 221
 Vendrell, M., Pujol, M.J., Tusell, J.M. and Serratos, J., Effect of different convulsants on calmodulin levels and proto-oncogene *c-fos* expression in the central nervous system, 285
 Vergé, D., see Miquel, M.C., 357
 Waldbieser, G.C., Minth, C.D., Chrisman, C.L. and Dixon, J.E., Tissue-specific expression of the human neuropeptide Y gene in transgenic mice, 87
 Walker, D.G. and McGeer, P.L., Complement gene expression in human brain: comparison between normal and Alzheimer disease cases, 109
 Warter, J.-M., see Micheletti, G., 363

- Watanabe, M., see Abe, H., 337
Weaver, D.R., see Fink, J.S., 186
Weiner, E.D., see Lachman, H.M., 94
White, J.D., see Yount, G.L., 139
Widdop, R.E., see Rutherford, S.D., 261
Williams, C., see Dragunow, M., 267
Wilson-Shaw, D., see Zahniser, N.R., 196
Yamada, M., see Satoh, T., 131
Yamakuni, T., see Amano, T., 35
Yamazaki, M., see Morita, T., 143
Yang, W., see Chen, K., 20
Yin, J., Lee, J.A. and Howells, R.D.,
Stimulation of *c-fos* and *c-jun* gene ex-
pression and down-regulation of proen-
kephalin gene expression in C6 glioma
cells by endothelin-1, 213
Yount, G.L., Gall, C.M. and White, J.D.,
Limbic seizures increase cyclophilin
mRNA levels in rat hippocampus, 139
Zahniser, N.R., Buck, K.J., Curella, P.,
McQuilkin, S.J., Wilson-Shaw, D.,
Miller, C.L., Klein, R.L., Heidenreich,
K.A., Keir, W.J., Sikela, J.M., and
Harris, R.A., GABA_A receptor function
and regional analysis of subunit mRNAs
in long-sleep and short-sleep mouse
brain, 196
Zimmermann, M., see Herdegen, T., 155
Zucconi, G.G., Cosi, C., Palmieri, M.,
Furia, A., Bassetti, M.A. and Carsana,
A., A pancreatic-like ribonuclease is
synthesized in rat brain, 1
Zwiller, J., see Micheletti, G., 363

